



RE: Siltronic, Draft February 1st Meeting Summary Letter

BLISCHKE Heidi

to:

BAYUK Dana

02/16/2006 11:10 AM

Cc:

Kristine Koch, ANDERSON Jim M, MCCLINCY Matt, Eric Blischke, Chip Humphrey, GAINER Tom

Hide Details

From: BLISCHKE Heidi <BLISCHKE.Heidi@deq.state.or.us> Sort List...

To: BAYUK Dana <BAYUK.Dana@deq.state.or.us>,

Cc: Kristine Koch/R10/USEPA/US@EPA, ANDERSON Jim M

<ANDERSON.Jim@deq.state.or.us>, MCCLINCY Matt

<MCCLINCY.Matt@deq.state.or.us>, Eric Blischke/R10/USEPA/US@EPA, Chip

Humphrey/R10/USEPA/US@EPA, GAINER Tom <GAINER.Tom@deq.state.or.us>

Dana – The letter is well written and clear. I wasn't at the meeting, so I wasn't privy to what was agreed upon. I am, however, concerned about giving Siltronic the go ahead to look at bioremediation for source control if that puts us into a position where although the TCE is being treated, the MGP waste continues to migrate to the river. Seems like we need to first determine what our expectation of Siltronic and NWN (in combining source control efforts) are regarding to the co-mingled area of the plume. I would wait until we meet today and resolve our expectations from both parties for the co-mingled TCE/MGP plume before we allow Siltronic to move forward with a technology that does not address MGP waste and may not couple well with technologies that do treat MGP waste. Heidi

-----Original Message-----

From: BAYUK Dana

Sent: Thursday, February 16, 2006 10:58 AM

To: Eric Blischke (blischke.eric@epa.gov); Chip Humphrey (humphrey.chip@epa.gov); BLISCHKE Heidi; GAINER Tom

Cc: Kristine Koch (koch.kristine@epa.gov); ANDERSON Jim M; MCCLINCY Matt

Subject: Siltronic, Draft February 1st Meeting Summary Letter

Attached is the letter summarizing our meeting discussions/agreements with Siltronic. I'd appreciate getting your comments in time to route this letter via e-mail to Siltronic tomorrow early-mid afternoon.

<< File: Lcd-Siltronic-Feb1mtgsmry.doc >>

The letter discusses the change in direction of source control work at the site (i.e., focus on uplands and pilot study of enhanced bioremediation) due to Siltronic desire to perform the work within a preferred timeframe.

I've noted that both EPA and DEQ agree with this approach.

Thanks in advance for your time in reviewing the document, and don't hesitate to contact me with questions.

Dana

Mr. Dana Bayuk, Project Manager

Cleanup & Lower Willamette Section

Oregon Department of Environmental Quality

2020 SW 4th Avenue, Suite 400

Portland, OR 97201

E-mail: bayuk.dana@deq.state.or.us

Phone: 503-229-5543

FAX: 503-229-6899

please visit our website at www.deq.state.or.us